

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

28013479
1134P

POULTRY

Slaughtered under Federal Inspection and Poultry

Used in Canning and Other Processed Foods

September 1964

October 29, 1964

Inspected Poultry - A total of 905,328,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during September 1964 under the Poultry Inspection Act carried on by the USDA. This was 9 percent more than the previous month and 7 percent more than September 1963.

The number of head and pounds (live weight) inspected by classes in September 1964 were: young chickens, 167,561,000 head, 576,914,000 pounds; mature chickens, 12,666,000 head, 59,463,000 pounds; fryer-roaster turkeys, 1,616,000 head, 13,894,000 pounds; young turkeys, 12,572,000 head, 246,486,000 pounds; old turkeys, 34,000 head, 549,000 pounds; and ducks 1,247,000 head, 8,022,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in September 1964 totaled 674,085,000 pounds ready-to-cook weight of which 415,815,000 pounds were iced and 258,270,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 419,911,000 pounds; mature chickens, 39,743,000 pounds; fryer-roaster turkeys, 10,701,000 pounds; young turkeys, 197,148,000 pounds; old turkeys, 440,000 pounds; ducks, 5,643,000 pounds; and other poultry, 499,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in September 1964 totaled 53,030,000 pounds ready-to-cook weight, compared with 48,153,000 pounds in September 1963. The quantity used in September 1964 consisted of 10,241,000 pounds of young chickens, 21,266,000 pounds of mature chickens, 19,394,000 pounds of turkeys, and 2,129,000 pounds of other poultry.

Cut-Up Poultry - Poultry cut-up and packaged in Federally inspected plants during September 1964 totaled 85,470,000 pounds ready-to-cook weight compared with 69,574,000 pounds in September 1963. The breakdown by classes for September 1964 consisted of 77,334,000 pounds of young chickens, 723,000 pounds of mature chickens, 7,357,000 pounds of turkeys and 56,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,801,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.20 percent; mature chickens, 0.36 percent; fryer-roaster turkeys, 0.20 percent; young turkeys, 0.16 percent; and ducks, 0.02 percent.

Post-mortem condemnations in September 1964 amounted to 15,422,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.92 percent; mature chickens, 3.26 percent; fryer-roaster turkeys, 1.75 percent; young turkeys, 1.53 percent; old turkeys, 1.62 percent; and ducks 1.40 percent. In September 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.01 percent; mature chickens, 3.14 percent; fryer-roaster turkeys, 1.41 percent; young turkeys, 1.43 percent; old turkeys, 1.86 percent; and ducks, 2.04 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE
Statistical Reporting Service U. S. DEPT. OF AGRICULTURE Crop Reporting Board
Pou 2-1 (10-64) NATIONAL AGRICULTURAL LIBRARY Washington, D. C.

NOV 6 1964

CURRENT SERIAL RECORDS

Poultry: Condemnations of poultry slaughtered under Federal Inspection, September 1964 with comparisons

Class	Ante-mortem condemnations										Post-mortem condemnations									
	Pounds (live weight):					Percent 1/					Pounds (live weight):					Percent 2/				
	September	1963	1964	September	1963	1964	September	1963	1964	September	1963	1964	September	1963	1964	September	1963	1964	September	1963
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,042	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160	1,160
Total chickens	210	211	211	211	211	211	211	211	211	211	211	211	211	211	211	211	211	211	211	211
Fryer-roasters	16	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
Young turkeys	301	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400	400
Old turkeys 3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total turkeys	317	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428	428
Ducks	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other poultry 3/	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	1,570	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801	1,801

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

Poultry: Inspected for canning and other processed foods, September 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight										Pounds condemned ready-to-cook weight									
	August					September					August					September				
	1964	1963	1964	1963	1964	1964	1963	1964	1963	1964	1964	1963	1964	1963	1964	1964	1963	1964	1963	1964
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Further processed	10,105	8,407	10,241	75,302	94,405	13	12	235	94	---	---	---	---	---	---	---	---	---	---	---
Cut up	76,461	64,241	77,334	550,802	628,378	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Mature chickens	20,088	18,068	21,266	184,453	180,904	13	35	18	131	---	---	---	---	---	---	---	---	---	---	---
Further processed	602	731	723	6,609	6,981	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Turkeys	17,765	20,066	19,394	129,382	145,190	7	9	11	55	---	---	---	---	---	---	---	---	---	---	---
Further processed	5,314	4,564	7,357	30,118	36,971	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Other poultry 2/	2,132	1,612	2,129	27,074	28,819	35	36	34	119	---	---	---	---	---	---	---	---	---	---	---
Further processed	39	38	56	778	497	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Total	50,090	48,153	53,030	416,211	449,318	68	92	73	540	---	---	---	---	---	---	---	---	---	---	---
Further processed	82,416	69,574	85,470	588,307	672,827	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, September 1963 and 1964

Region and State	Number inspected	Pounds		Average live weight inspected 1/		Total pounds certified		Post-mortem condemnations	
		1963	1964	1963	1964	1963	1964	1963	1964
		Thou.	Thou.	pounds	pounds	pounds	pounds	pounds	pounds
N. Atl.	13,297	12,430	13,297	49,815	52,128	35,812	38,047	815	878
E. N. Cent.	2,459	3,256	2,459	12,017	8,999	3.66	3.66	156	87
W. N. Cent.	4,546	4,205	4,546	14,299	15,793	3.47	3.47	260	243
S. Atl.	70,963	65,513	70,963	230,419	246,167	3.47	3.47	3,760	4,219
S. Cent.	73,126	65,851	73,126	220,456	242,505	3.32	3.32	4,521	4,317
West	3,170	2,945	3,170	10,801	11,322	3.57	3.57	185	219
U. S.	154,200	167,561	154,200	537,807	576,914	3.44	3.44	9,697	9,963
Maine	5,172	5,419	5,172	20,962	21,826	4.05	4.05	364	336
Mass. 3/	454	---	454	1,820	---	4.01	---	37	---
Conn.	714	673	714	2,601	2,632	3.64	3.91	53	48
N. J. 3/	31	---	31	149	---	4.84	---	2	---
Pa.	6,715	6,715	6,715	23,049	25,591	4.00	3.81	347	463
Ohio	624	341	624	2,375	1,341	3.81	3.93	23	17
Ind.	1,200	924	1,200	4,061	3,009	3.38	3.26	44	21
Ill.-Mich. 4/	295	23	295	1,271	137	4.31	5.96	32	2
Wis.	1,171	1,171	1,171	4,310	4,512	3.79	3.85	57	47
Minn.	723	694	723	2,707	2,952	3.74	4.26	38	25
Iowa	91	88	91	602	595	6.65	6.65	3	4
Mo.	3,391	3,764	3,391	10,988	12,256	3.24	3.26	219	214
Del.	6,868	7,423	6,868	26,365	27,908	3.84	3.76	501	448
Ma.	9,538	9,399	9,538	36,579	35,574	3.78	3.78	615	756
Va.	4,235	3,853	4,235	13,417	12,235	3.17	3.18	194	186
N. C.	16,596	18,520	16,596	57,507	63,207	3.47	3.41	716	824
S. C.	1,750	1,923	1,750	6,002	6,729	3.43	3.50	116	129
Ga.	25,325	28,598	25,325	86,671	96,546	3.42	3.38	1,583	1,813
Ky.	1,730	2,007	1,730	5,995	6,806	3.46	3.39	59	85
Tenn.	4,335	4,970	4,335	14,980	16,778	3.46	3.38	213	222
Ala.	15,178	16,354	15,178	51,931	55,086	3.42	3.37	1,030	848
Miss.	12,051	12,744	12,051	40,286	42,390	3.34	3.33	898	806
Ark.	20,748	23,083	20,748	68,103	75,648	3.28	3.28	1,558	1,504
La.-Okla. 4/	3,423	3,120	3,423	10,492	11,377	3.36	3.32	233	191
Texas	8,689	10,545	8,689	28,669	34,420	3.30	3.26	530	661
Idaho 3/	423	---	423	1,444	---	3.41	---	21	---
Wash.	736	771	736	2,671	2,894	3.63	3.75	44	32
Calif.	1,762	2,077	1,762	6,609	7,277	3.75	3.50	118	170

1/ Average weight based on unrounded data.
 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.
 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
 4/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, September 1963 and 1964

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Pounds (NYD)		Post-mortem condemnations	
		1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
N. Atl.	Thou.	1,000	1,000	Pounds	Pounds	1,000	1,000	1,000	1,000	Percent	Percent
E. N. Cent.	1,906	10,311	9,746	5.13	5.11	6,990	6,483	183	183	2.14	2.09
W. N. Cent.	1,734	7,601	8,146	4.38	4.20	5,196	5,521	191	214	2.80	2.93
S. Atl.	4,420	19,147	19,252	4.33	4.24	12,499	12,536	674	680	3.93	3.94
S. Cent.	1,627	1,976	2,124	5.78	5.63	6,594	7,656	209	278	2.48	2.79
West	1,157	1,294	6,926	5.55	5.35	4,356	4,767	205	218	3.57	3.52
	1,021	4,436	4,269	4.34	4.22	2,937	2,780	139	163	3.50	4.26
U. S.	11,967	57,317	59,463	4.79	4.69	38,572	39,743	1,616	1,736	3.14	3.26
Maine	281	1,788	2,088	6.36	6.16	1,310	1,505	34	46	2.10	2.46
N. Y. 3/	153	669	---	4.38	---	467	---	13	---	2.22	---
N. J.	798	3,218	3,787	4.03	4.20	2,000	2,324	72	87	2.50	2.56
Pa.	303	1,696	2,103	5.61	5.68	1,141	1,388	22	25	1.45	1.32
Ohio	467	2,021	2,719	4.32	4.32	1,391	1,833	52	67	2.85	2.78
Ind.	548	2,464	2,650	4.50	4.37	1,670	1,842	66	73	2.96	3.07
Ill.	479	2,022	2,041	4.22	3.82	1,389	1,351	43	46	2.37	2.51
Mich. 3/	48	198	---	4.16	---	126	---	3	---	1.64	---
Wis.	167	896	727	4.67	4.36	620	488	27	28	3.35	4.30
Minn.	1,948	8,740	7,945	4.18	4.08	5,599	5,098	335	325	4.28	4.57
Iowa	660	2,655	2,401	4.02	3.96	1,796	1,570	75	52	3.12	2.41
Mo.	662	3,497	4,315	5.28	5.06	2,347	2,896	90	110	2.88	2.85
N.D.-S.D. 4/	178	812	501	4.56	4.43	524	310	32	24	4.38	5.34
Del.	41	305	211	7.47	7.67	222	151	6	5	2.10	2.23
Md.	443	1,876	2,350	4.23	4.09	1,277	1,574	33	35	2.00	1.67
Va.	208	1,217	1,054	5.85	6.07	873	731	25	21	2.33	2.25
N. C.	463	2,895	3,478	6.25	6.23	2,049	2,400	57	89	2.20	2.87
S. C.	42	270	107	6.42	7.25	190	77	7	3	2.60	3.03
Ga.	408	2,716	3,823	6.66	6.27	1,899	2,656	78	123	3.21	3.58
Ky.	65	334	343	5.16	6.18	232	243	8	8	2.59	2.53
Tenn.	214	2,095	988	4.87	4.62	1,381	675	64	36	3.43	4.09
Ala.	106	62	399	6.52	6.47	489	282	22	13	3.57	3.59
Miss.	88	595	2,795	6.76	4.91	410	1,903	16	82	3.00	3.28
Ark.	127	1,113	904	6.52	7.14	766	633	30	26	3.05	3.21
La.-Okla. 4/	71	92	569	6.20	5.34	403	403	19	20	4.81	3.91
Texas	226	1,151	928	5.09	5.34	772	628	46	33	4.43	3.94
Idaho 3/	33	161	---	4.91	---	112	---	4	---	2.88	---
Utah 3/	44	163	---	3.75	---	115	---	1	---	.99	---
Wash.	122	161	699	4.44	4.35	346	449	17	24	3.60	3.92
Calif.	813	3,527	3,314	4.34	4.22	2,337	2,154	116	134	3.69	4.53

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, September 1964

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scal.d	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	77	4,457	14,893	155	7,226	6,155	4	396	2,064	1,953	69	25	10,031	47,505
E. N. Cent.	9,194	7,272	18,883	26	6,722	11,546	104	629	1,606	2,733	186	39	1,637	60,577
W. N. Cent.	47,967	11,795	37,928	441	24,447	20,954	992	2,897	2,457	11,019	628	108	15,969	177,602
S. Atl.	2	5,043	19,824	339	16,553	4,241	1	574	1,191	4,768	358	375	838	54,107
S. Cent.	11	10,220	14,834	299	9,633	3,398	16	708	1,095	4,714	113	18	1,683	46,742
West	---	1,756	17,719	182	6,595	10,740	148	1,200	660	3,533	80	11	4,625	47,249
U. S.	57,251	40,543	124,081	1,442	71,176	57,034	1,265	6,404	9,073	28,720	1,434	576	34,783	433,782
Maine	---	664	2,547	108	2,989	595	3	53	163	392	10	23	1,341	8,888
N. J.	59	2,713	8,447	3	1,629	4,326	---	151	1,490	666	51	---	7,217	26,752
Pa.	18	597	2,441	44	1,488	532	1	106	208	356	7	---	28	5,826
Ohio	1,107	3,654	5,369	3	3,115	2,665	15	128	456	849	25	39	938	18,363
Ind.	1,162	1,838	7,196	3	1,028	5,881	4	319	799	1,400	133	---	16	19,779
Ill.	3,614	340	5,014	---	1,375	2,149	83	97	243	251	11	---	58	13,735
Wis.	3,311	1,413	1,261	20	1,199	851	2	85	79	231	17	---	125	8,594
Minn.	18,991	3,145	15,677	84	15,333	15,951	677	1,548	1,135	7,310	499	103	5,823	86,276
Iowa	4,293	1,038	3,626	40	1,794	1,379	138	271	451	554	29	2	121	13,736
Mo.	1,830	2,836	11,229	65	3,263	1,743	169	282	539	803	72	3	2,445	25,279
N. Dak.-S. Dak. 1/	4,297	213	853	39	644	502	8	47	132	237	1	---	191	7,164
Del.	---	154	177	13	160	33	---	4	12	34	---	---	7	594
Md.	1	1,169	4,080	76	1,598	228	1	110	147	55	12	3	166	7,646
Va.	1	497	1,252	4	2,467	207	---	36	86	163	12	1	5	4,731
N. C.	---	2,157	6,183	106	6,442	1,315	---	217	519	1,543	197	356	382	19,417
S. C.	---	96	88	32	143	11	---	6	5	38	1	---	---	420
Ga.	---	911	7,849	108	5,408	2,371	---	193	419	2,904	136	15	192	20,506
Ky.	1	150	701	3	221	1,458	---	7	7	126	3	---	1	1,678
Tenn.	---	520	1,724	73	1,819	1,450	---	23	159	1,935	74	5	1,498	9,280
Ala.	---	206	1,034	9	435	124	---	7	139	248	---	---	---	2,202
Miss.	---	6,534	5,844	17	3,133	534	---	549	477	1,234	26	10	114	18,472
Ark.	---	114	1,783	122	863	293	---	33	65	256	2	3	67	3,601
La.-Okla. 1/	10	256	1,494	55	1,085	355	16	48	148	325	8	---	1	3,801
Texas	---	2,440	2,254	20	2,077	184	---	41	100	590	---	---	2	7,708
Wash.	---	383	2,218	1	1,337	815	---	72	280	666	13	11	1,559	7,355
Calif.	---	1,094	14,406	180	5,116	9,802	148	1,062	347	2,790	46	---	3,057	38,048

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, September 1963 and 1964

Region and State	Number inspected	Pounds		Average		Total pounds		Post-mortem condemnations			
		(live weight)		live weight		certified		Pounds (WVD)		Percent	
		1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
		1,000	1,000			1,000	1,000	pounds	pounds	pounds	Percent
N. Atl.	211	3,831	3,999	18.16	18.77	3,027	3,182	30	33	0.87	0.92
E. N. Cent.	1,577	29,865	32,399	19.18	19.96	23,853	25,956	241	284	.90	.98
W. N. Cent.	4,584	87,918	103,257	19.18	20.05	70,807	83,286	1,094	1,244	1.38	1.34
S. Atl.	874	15,701	17,804	17.96	18.19	12,366	13,912	214	379	1.52	2.37
S. Cent.	1,678	29,971	36,249	17.86	18.32	23,713	28,659	435	578	1.61	1.77
West	3,083	62,456	52,778	20.26	20.08	50,066	42,153	945	869	1.68	1.83
U. S.	11,987	229,742	246,486	19.17	19.61	183,832	197,148	2,959	3,387	1.43	1.53
Pa.	174	3,194	3,106	18.33	18.54	2,561	2,504	26	20	.89	.71
Ohio	245	4,845	5,948	19.75	21.10	3,878	4,809	22	33	.51	.62
Ind.	523	10,059	9,886	19.23	19.47	8,131	8,048	101	90	1.13	1.01
ILL.-Mich. 3/	328	6,162	5,685	18.79	20.52	4,937	4,565	41	31	.74	.61
Wis.	461	8,799	10,880	19.10	19.57	6,907	8,534	77	130	.96	1.33
Minn.	2,185	42,624	48,203	19.50	20.47	34,568	38,989	487	520	1.27	1.20
Iowa	1,068	21,052	23,233	19.72	20.12	16,994	18,727	254	280	1.34	1.34
Mo.	562	10,058	18,403	17.90	18.78	7,823	14,705	145	231	1.60	1.40
N. Dak.-S. Dak. 3/	254	4,694	4,419	18.48	18.72	3,798	3,566	73	68	1.73	1.71
Nebr.	360	6,908	6,889	19.17	22.83	5,595	5,608	78	100	1.25	1.62
Kans.	155	2,582	2,110	16.66	17.44	2,029	1,691	57	45	2.46	2.38
Va.	337	5,729	5,320	17.02	19.18	4,332	3,910	92	130	1.80	2.72
N. C.	360	6,680	8,479	18.54	18.30	5,356	6,812	94	181	1.56	2.38
S. C.	28	646	297	23.06	20.04	520	239	5	1	.81	.38
Ga.	92	1,742	2,243	18.92	18.14	1,433	1,802	20	51	1.28	2.48
Ky. 4/	200	3,602	---	18.05	---	2,889	---	34	---	1.03	---
Ark.	439	8,025	12,537	18.30	17.21	6,273	9,833	160	226	2.22	2.01
Okla. 4/	310	5,246	---	16.95	---	4,206	---	52	---	1.11	---
Texas	596	10,740	12,407	18.01	18.92	8,523	9,829	158	248	1.64	2.23
Colo.	276	5,517	5,747	19.99	19.74	4,573	4,693	43	52	.88	1.02
Utah	641	13,522	11,431	21.08	20.63	10,897	9,133	124	95	1.02	.92
Calif.	1,888	37,989	30,204	20.12	20.03	30,220	23,978	723	642	2.12	2.36

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Combined to avoid disclosure of individual operations.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, September 1964

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	15	466	388	342	1	---	---	53	35	117	8	9	8	1,442
E. N. Cent.	36	5,004	4,330	4,168	12	---	---	128	506	512	144	1	20	14,861
W. N. Cent.	474	24,348	23,892	10,139	91	---	---	680	1,809	2,190	377	16	1,352	65,373
S. Atl.	78	4,166	7,002	8,706	30	---	---	116	530	897	61	---	57	21,643
S. Cent.	238	11,343	12,215	5,150	54	---	---	286	796	1,170	153	---	79	31,485
West	246	20,301	12,527	10,900	39	---	---	582	493	1,036	104	4	250	46,484
U. S.	1	65,628	60,354	39,405	227	---	---	1,845	4,169	5,922	847	30	1,766	181,288
Pa.	14	323	101	280	---	---	---	40	30	65	7	9	2	871
Ohio	8	656	235	587	2	---	---	5	28	65	9	1	16	1,612
Ind.	2	1,714	1,880	1,173	---	---	---	14	184	93	53	---	---	5,113
Ill.-Mich. 1/	4	590	267	241	---	---	---	27	61	108	28	---	1	1,327
Wis.	22	2,044	1,948	2,167	10	---	---	82	233	246	54	---	3	6,809
Minn.	15	11,899	9,648	2,390	33	---	---	325	858	1,002	105	9	430	26,717
Iowa	425	4,304	5,146	3,932	23	---	---	122	215	434	84	5	397	15,087
Mo.	21	3,577	4,656	2,568	19	---	---	103	322	420	30	---	512	12,230
N. Dak. -S. Dak. 1/	---	1,718	1,422	375	---	---	---	33	231	79	61	---	2	3,921
Nebr.	3	2,493	1,456	707	15	---	---	59	55	120	3	2	---	4,913
Kans.	10	357	1,564	167	1	---	---	38	128	135	94	---	11	2,505
Va.	3	1,218	3,998	1,848	6	---	---	26	278	44	2	---	1	7,424
N. C.	57	1,945	1,843	5,684	12	---	---	69	214	789	54	---	---	10,667
S. C.	5	7	11	11	4	---	---	1	2	---	---	---	---	41
Ga.	6	555	1,120	841	8	---	---	15	9	58	---	---	56	2,668
Ark.	37	5,224	4,359	2,426	4	---	---	112	161	531	127	---	---	12,981
Texas	188	4,156	6,320	2,090	41	---	---	151	365	313	6	---	2	13,633
Colo.	---	770	445	1,279	2	---	---	29	74	99	2	---	9	2,709
Utah	---	3,823	592	1,200	7	---	---	103	189	68	7	---	139	6,128
Calif.	185	12,624	10,707	7,895	23	---	---	412	166	703	82	4	4	32,807

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, September 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected		Total pounds certified (ready-to-cook wt.)		Post-mortem condemnations	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent
N. Atl.	38	51	330	439	8.71	8.57	322	4	1.33	1.13
E. N. Cent.	231	234	2,079	2,083	9.00	8.90	1,642	19	1.07	1.01
W. N. Cent.	515	537	4,544	4,772	8.82	8.89	3,581	68	1.05	1.59
S. Atl.	434	593	3,674	4,950	8.47	8.35	2,748	110	1.70	2.47
S. Cent.	70	53	554	451	7.95	8.51	430	6	.85	1.49
West	107	148	899	1,199	8.40	8.10	677	27	3.34	1.11
U. S.	1,395	1,616	12,080	13,894	8.66	8.60	9,320	153	1.41	1.75
Ohio	55	56	514	501	9.37	8.96	396	4	.88	.78
Wis.	175	---	1,550	---	8.88	---	1,234	16	1.16	---
Minn.	349	476	3,136	4,255	8.98	8.94	2,493	28	.96	1.61
Va.	406	566	3,455	4,749	8.51	8.39	2,579	54	1.75	2.54
Ark.	70	---	554	---	7.95	---	430	4	.85	---
Calif.	101	134	856	1,098	8.44	8.22	642	27	3.52	1.21

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, September 1964

Region and State	Tuberc- culosis		Leu- : Septi- : cosis		Alr- : s- : culitis		Inflam- : matory		Tumors : sites		Bruises : Cadaver : ination		Contam- : Over- : Decom- : position		Other : Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	146	176	25	1	2	15	73	4	---	---	---	---	---	442
E. N. Cent.	---	10	957	132	335	5	20	127	117	37	---	---	---	1	---	1,741
W. N. Cent.	---	19	2,183	3,136	627	8	64	242	532	50	2	---	---	23	---	6,886
S. Atl.	---	4	1,638	9,623	1,314	---	44	303	284	6	---	---	---	347	---	13,563
S. Cent.	---	---	362	209	98	---	7	20	69	---	---	---	---	---	---	765
West	---	18	430	309	312	7	35	55	70	28	---	---	---	---	---	1,264
U. S.	---	51	5,716	13,585	2,711	21	172	762	1,145	125	2	---	---	371	---	24,661
Ohio	---	2	82	21	122	---	---	18	18	---	---	---	---	1	---	264
Minn.	---	17	2,030	3,084	563	7	56	209	495	35	2	---	---	23	---	6,521
Va.	---	4	1,608	9,613	1,287	---	43	288	261	6	---	---	---	347	---	13,457
Calif.	---	18	424	309	297	1	35	39	69	11	---	---	---	---	---	1,203

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, September 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	Thou.	1964	1963	1964	1963	1964	1963	1964	1963	1964	Percent	Percent
			1,000 pounds				1,000 pounds					
N. Atl. 3/	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	5	6	74	99	14.80	16.50	58	79	1	1	1.50	1.12
W. N. Cent.	28	11	425	177	15.18	16.09	339	142	9	2	2.35	1.26
S. Atl. 3/	2	7	35	124	17.23	17.71	29	100	---	2	---	1.80
S. Cent.	3	---	90	---	26.05	---	67	---	2	---	1.60	---
West. 3/	7	10	94	149	14.29	14.90	76	119	---	3	---	2.24
U. S.	45	34	718	549	15.96	16.15	569	440	12	8	1.86	1.62
Minn.	25	8	371	136	15.14	17.19	296	110	8	2	2.40	1.91
Calif. 4/	---	3	---	54	---	16.33	---	42	---	2	---	3.19

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, September 1964

Region and State	Tuber-: Leu-: Septi-: Aircac-: Inflamm-: Tumors		Para-: sites		Bruises		Cadaver : ination: scald :		Contam-: Over-: Decom-: position :		Other :		Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	---	---	---	---	---	---	---	---	---	---	---	---	---
E. N. Cent.	---	---	24	9	---	---	4	1	---	---	---	---	50
W. N. Cent.	---	---	90	45	---	1	3	9	---	---	---	---	155
S. Atl.	---	---	1	44	---	---	9	---	---	3	---	---	83
S. Cent.	---	---	---	---	---	---	---	---	---	---	---	---	---
West.	---	---	9	63	54	52	17	4	2	---	---	---	226
U. S.	---	---	10	221	116	87	18	32	14	3	---	---	514
Minn.	---	---	---	49	45	6	1	2	7	---	---	---	111
Calif.	---	---	8	34	42	33	15	5	2	---	---	---	149

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS

Definitions

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.